

Table with multiple sections: 単勝票數, 複勝票數, 枠連票數, 普通馬連票數, 馬単票數, 3連複票數, 3連単票數. Each section contains columns for race details, horse numbers, and odds.

Table with columns for race number, horse number, name, and various performance metrics. The table contains multiple rows of data for each race, including horse names like 3203, 3401, 3509, etc., and their corresponding race results.

09061 2024年 第3回中山競馬第6日 (4月7日 日曜日) 第1競走 3歳未勝利

Table with 25 columns representing race data. Each row contains a sequence of numbers and codes (e.g., 01300, 9, 01302, 3, 01303, 4, 01304, 2, 01305, 16, 01306, 5, 01307, 32, 01308, 5, 01309, 8, 01310, 32, 01311, 13, 01312, 7) representing the race results for various participants.

Table containing horse racing results for the 2nd race (3-year-old maiden). It includes sections for '単勝票数' (Single Race Results), '複勝票数' (Place Race Results), '枠連単票数' (Couplet Race Results), '普通馬連単' (General Horse Connections), '馬単' (Horse Single), 'ワイド' (Wide), '3連複' (3-way Couplet), and '3連単' (3-way Single). Each section lists horse numbers, jockeys, and their respective finishing positions and odds.

Table with columns for race number, date, and horse details. Each row contains a sequence of numbers representing race data, such as horse numbers and times, organized in a grid format.

Table with 13 columns: 単勝票数 (Winning tickets), 複勝票数 (Place tickets), 枠連票数 (Couplet tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 13 columns: 単勝票数 (Winning tickets), 複勝票数 (Place tickets), 枠連票数 (Couplet tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 13 columns: 普通馬連票数 (General horse pair tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 13 columns: 馬単票数 (Horse single tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 13 columns: ワイド(拡大馬連)票数 (Wide (Expanded horse pair) tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 13 columns: 3連複票数 (3-horse combination tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 13 columns: 3連単票数 (3-horse single tickets), 中 (Middle), 外 (Outer), 人気 (Popularity), 番人気 (Popularity rank), 的中 (Hit), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count), 的中率 (Hit rate), 的中数 (Hit count).

Table with 25 columns representing race data. Columns include race number (e.g., 3(2)1), starting number (e.g., 1), and various performance metrics (e.g., 141, 3(2)15, 8, 3(2)16, 2, 3(2)1, 35, 3(2)2, 5, 3(2)5, 330, 3(2)6, 9, 3(2)7, 7, 3(2)8, 29, 3(2)9, 88, 3(2)10, 124). The table contains 963 rows of data.

Table with 28 columns and 712 rows of horse racing data, including race numbers, horse numbers, names, and various performance metrics.



Table with multiple sections: 単勝票数 (Single Race Numbers), 複勝票数 (Place Race Numbers), 枠連票数 (Couplet Race Numbers), 普通馬連票数 (General Horse Race Numbers), 馬単票数 (Horse Single Race Numbers), ワイド(拡大馬連)票数 (Wide/Expanded Horse Race Numbers), 3連複票数 (3-Way Place Race Numbers), 3連単票数 (3-Way Single Race Numbers). Each section contains columns for race numbers, counts, and various statistics.

Table with 48 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, jockey, and various performance metrics. The data is organized in a grid format with multiple columns per row.

09064 2024年 第3回中山競馬第6日 (4月7日 日曜日) 第4競走 3歳未勝利

Table with 20 columns representing race data. Each column contains a sequence of numbers and codes (e.g., 0130, 0140, 0150) representing individual race entries and their corresponding statistics.

Table with multiple sections: 単勝票數, 複勝票數, 3連複票數, 馬単票數, and 3連単票數. Each section contains columns for race details, odds, and various betting numbers.

Table with 25 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, jockey, and various performance metrics. The table is organized into 10 groups of 25 rows each, with some rows containing multiple entries for the same race number.

Table with 13 columns representing race data. Each row contains a sequence of numbers and codes, likely representing horse numbers and their performance metrics. The data is organized in a grid format with varying column widths.

09065 2024年 第3回中山競馬第6日 (4月7日 日曜日) 第5競走 3歳未勝利

Table with 25 columns representing race data for 3-year-old maiden races. Columns include race numbers (e.g., 03109, 02205), starting positions (e.g., 03109, 02205), and various performance metrics. The table contains 100 rows of data.

Table with multiple sections: 単勝馬券, 複勝馬券, 枠連馬券, 普通馬連券, 馬単馬券, ワイド(拡大馬連)馬券, 3連複馬券, 3連単馬券. Each section contains detailed race results including horse numbers, jockeys, and odds.



Table with 30 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, sex, age, and various performance metrics. The table is organized into 10 groups of 30 rows each, with the first row of each group containing the race number and horse number. The data includes names like '32(3) 16' and '3(4) 162', and various numerical values representing race performance.

Table with 25 columns representing race data. Each column contains a sequence of numbers (e.g., 01, 02, 03) and corresponding numerical values (e.g., 16, 425, 14). The data is organized in a grid format for each race.

Table with columns for race details (e.g., 単勝票数, 複勝票数, 枠連票数) and horse numbers (1-12). It includes various statistics and race results for the 3-year-old 1-win class.

Table with 25 columns and 50 rows of horse racing data. Columns include race numbers (e.g., 7900, 7001) and corresponding values for various categories. The data is organized in a grid format with some cells containing multiple numbers.

Table with multiple sections: 単勝票数 (Single Race Numbers), 複勝票数 (Double Race Numbers), 普通馬連票数 (General Horse Connection Numbers), 馬単票数 (Horse Single Numbers), ワイド[拡大馬連]票数 (Wide [Expanded Horse Connection] Numbers), 3連複票数 (3-Place Connection Numbers), 3連単票数 (3-Place Single Numbers). Each section contains a grid of numbers and symbols representing betting outcomes and odds.

Main table containing race results for the 9th race, including columns for race type (e.g., 単勝, 複勝, 連複), horse numbers, jockey names, and various betting odds and payouts.

Table with 24 columns and 50 rows of race results. Columns include race number, time, and various identifiers. The table contains detailed data for the 9th race, including times like 1:07.9, 1:08.1, etc., and various race numbers and identifiers.

Table with 12 columns for race details: 単勝票数, 複勝票数, 枠連票数, 普通馬連票数, 馬単票数. Includes counts and odds for various race types.

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).

Table with 12 columns for race details: 馬単票数 (continued), 複勝票数 (continued), 枠連票数 (continued), 普通馬連票数 (continued), 馬単票数 (continued).



Table with 24 columns (race numbers 46.0.3 to 88.6.6) and 100 rows of race data. Each cell contains a number representing a horse's performance, such as race number, start number, and finishing time. The table is organized into a grid with 24 columns and 100 rows.



Table with 12 columns and 2 rows. Row 1: 単勝票数 (Single Race Ticket Sales) with counts for various numbers. Row 2: 複勝票数 (Place Race Ticket Sales) with counts for various numbers.

Table with 12 columns and 2 rows. Row 1: 3連単票数 (3-Place Race Ticket Sales) with counts for various numbers. Row 2: 普通馬連単票数 (General Horse Race Ticket Sales) with counts for various numbers.

Table with 12 columns and 2 rows. Row 1: 馬単票数 (Horse Single Race Ticket Sales) with counts for various numbers. Row 2: 馬単票数 (Horse Single Race Ticket Sales) with counts for various numbers.

Table with 12 columns and 2 rows. Row 1: ワイド(拡大馬連単)票数 (Wide (Expanded Horse Race) Ticket Sales) with counts for various numbers. Row 2: ワイド(拡大馬連単)票数 (Wide (Expanded Horse Race) Ticket Sales) with counts for various numbers.

Table with 12 columns and 2 rows. Row 1: 3連複票数 (3-Place Race Ticket Sales) with counts for various numbers. Row 2: 3連複票数 (3-Place Race Ticket Sales) with counts for various numbers.

Table with 12 columns and 2 rows. Row 1: 3連単票数 (3-Place Race Ticket Sales) with counts for various numbers. Row 2: 3連単票数 (3-Place Race Ticket Sales) with counts for various numbers.

Table with 25 columns and 835 rows of horse racing data. Columns include race number, horse number, name, jockey, and various performance metrics. The table is organized into 10 groups of 25 rows each, with the first group starting at row 55 and the last group ending at row 835.

Table with columns for race details (e.g., 単勝票数, 複勝票数, 枠連複票数) and horse numbers (1-12) with their respective odds and race results. Includes sub-sections like '馬単票' and 'ワイド'.

Table with 28 columns and 50 rows of horse race data. Columns include race number, year, date, track, race name, and horse details (number, name, jockey, trainer, etc.).